













EXCAVATORS

326GC

Tractafric equipment

CAT®

EXCAVATORS

326GC

Overview

Contact and information

BY EMAIL
frederique.simmons@tractafric.com
david.guerrey@tractafric.com

BY PHONE
+212 522 438 222
+33 1 71 90 40 50

Key information

BRAND
CAT®

CONDITION
CAT® Certified Used

REFERENCE
BXO6530

YEAR
2021

HOURS
7084

LOCATION
CHINE

VIN
GJC10159

AVAILABILITY
Available

Tractafric equipment

CAT®

EXCAVATORS

326GC

Technical specifications

ENGINE

NET POWER - ISO 9249	157.8 kW
ENGINE MODEL	C7.1 Cat
ENGINE POWER - ISO 14396	159 kW
BORE	105 mm
STROKE	135 mm
DISPLACEMENT	7.01 l

HYDRAULIC SYSTEM

MAIN CIRCUIT: MAXIMUM FLOW	481 l/min (127 gal/min)
MAXIMUM PRESSURE: EQUIPMENT	35000 kPa
MAXIMUM PRESSURE - EQUIPMENT - LIFT MODE	38000 kPa
MAXIMUM PRESSURE: TRAVEL	35000 kPa
MAXIMUM PRESSURE: SWING	28400 kPa

SWING MECHANISM

SWING SPEED	9.8 RPM
MAXIMUM SWING TORQUE	106 kNm

WEIGHT

Tractafric equipment

CAT®

EXCAVATORS

326GC

Technical specifications

OPERATING WEIGHT	25700 kg

MAINTENANCE CAPACITIES

FUEL TANK CAPACITY	474 l
COOLING SYSTEM	25 l
ENGINE OIL	25 l
SWING DRIVE	11.5 l
FINAL DRIVE - EACH	4.5 l
HYDRAULIC SYSTEM - INCLUDING TANK	310 l
HYDRAULIC TANK	147 l

DIMENSIONS

BOOM	HD 5.9 m (19'4")
ARM	HD 2.95 m (9'8")
BUCKET	HD 1.54 m^3 (2.01 yd^3)
SHIPPING HEIGHT: CAB TOP	3000 mm
HANDRAIL HEIGHT	3000 mm
SHIPPING LENGTH	10060 mm
REAR SWING RADIUS	3000 mm

Tractafric equipment

CAT®

EXCAVATORS

326GC

Technical specifications

COUNTERWEIGHT GROUND CLEARANCE	1060 mm
GROUND CLEARANCE	440 mm
TRACK LENGTH	4640 mm
LENGTH TO CENTER OF ROLLERS	3830 mm
TRACK GAUGE	2590 mm
TRANSPORT WIDTH	3190 mm

WORKING RANGES AND FORCES

MAXIMUM DIGGING DEPTH	6820 mm
BOOM	HD 5.9 m (19'4")
ARM	HD 2.95 m (9'8")
BUCKET	HD 1.54 m^3 (2.01 yd^3)
MAXIMUM GROUND REACH	10120 mm
MAXIMUM CUTTING HEIGHT	9640 mm
MAXIMUM LOADING HEIGHT	6620 mm
MINIMUM LOADING HEIGHT	2390 mm
MAXIMUM DIGGING DEPTH FOR 2,440 MM (8 FT) FLA	6640 mm
MAXIMUM VERTICAL WALL DIGGING DEPTH	5110 mm
BUCKET DIGGING FORCE: ISO	166 kN

Tractafric equipment

CAT®

EXCAVATORS

326GC

Technical specifications

ARM DIGGING FORCE: ISO	121 kN

Tractafric equipment

CAT®