








DOZERS

D7R

Tractafric equipment

CAT®

DOZERS

D7R

Overview

Contact and information

BY EMAIL

frederique.simmons@tractafric.com

david.guerrey@tractafric.com

BY PHONE

+212 522 438 222

+33 1 71 90 40 50

Key information

BRAND

CAT®

CONDITION

CAT® Certified Used

REFERENCE

BXO6523

YEAR

2007

HOURS

3835

LOCATION

Vlissingen NL

VIN

AGN01595

AVAILABILITY

Sold

Tractafric equipment

CAT®

DOZERS

D7R

Technical specifications

ENGINE

ENGINE MODEL	C9.3B Cat
NET POWER	197 kW
EMISSIONS	MAR-1 Emission Standards (Brazil) and UN/ECE R96 Stage IIIA, equiva
NET RATED POWER - ISO 9249/SAE J1349	197 kW
NET RATED POWER (ISO 9249 DIN)	268 mhp
NOTE (1)	Net power at 2200 RPM. Net power advertised is the power available
NOTE (2)	Cat engines are compatible with blends of diesel and low carbon int
NOTE (3)	Basic machine specs are provided below. For full configuration spec
NOTE (4)	Machine serial number: 17A

WEIGHT

OPERATING WEIGHT	29,776 kg
NOTE (1)	Standard SU operating weight includes three-shank ripper adding ap

TRANSMISSION

POWERTRAIN	Fully automatic 4-speed

MAINTENANCE CAPACITIES

FUEL TANK	624 l

Tractafric equipment

CAT®

DOZERS

D7R

Technical specifications

STANDARD SU

OPERATING WEIGHT	29,776 kg
GROUND PRESSURE	72.1 kPa
STANDARD TRACK WIDTH	610 mm
BLADE	Semi-universal (SU)
BLADE CAPACITY	7.4 m³

S LGP

OPERATING WEIGHT	28,677 kg
GROUND PRESSURE	43.4 kPa
STANDARD TRACK WIDTH	915 mm
BLADE	Straight (S)
BLADE CAPACITY	6.2 m³

WASTE HANDLER TRACK LOADER

OPERATING WEIGHT	28,140 kg
GROUND PRESSURE	68.3 kPa
STANDARD TRACK WIDTH	610 mm
BLADE	Universal Trash (U)
BLADE CAPACITY	16.6 m³

Tractafric equipment

CAT®

DOZERS

D7R

Technical specifications

DURABILITY

RECYCLABILITY	98%

AIR CONDITIONING SYSTEM

AIR CONDITIONING	The air conditioning system in this machine contains fluorinated gre
NOTE (2)	Some features and configurations may not be available in all regions

Tractafric equipment

CAT®