



DOZERS

D7R

Tractafic
equipment

CAT[®]

DOZERS

D7R

Overview

Contact and information

BY EMAIL

frederique.simmons@tractaftric.com

david.guerrey@tractaftric.com

BY PHONE

+212 522 438 222

+33 1 71 90 40 50

Key information

BRAND

CAT®

CONDITION

CAT® Certified Used

REFERENCE

BX06523

YEAR

2007

HOURS

3835

LOCATION

Vlissingen NL

VIN

AGN01595

AVAILABILITY

Available

DOZERS

D7R

Technical specifications

ENGINE

ENGINE MODEL C9.3B Cat

NET POWER 197 kW

EMISSIONS MAR-1 Emission Standards (Brazil) and UN/ECE R96 Stage IIIA, equivalent

NET RATED POWER - ISO 9249/SAE J1349 197 kW

NET RATED POWER (ISO 9249 DIN) 268 mhp

NOTE (1) Net power at 2200 RPM. Net power advertised is the power available

NOTE (2) Cat engines are compatible with blends of diesel and low carbon int

NOTE (3) Basic machine specs are provided below. For full configuration spec

NOTE (4) Machine serial number: 17A

WEIGHT

OPERATING WEIGHT 29,776 kg

NOTE (1) Standard SU operating weight includes three-shank ripper adding ap

TRANSMISSION

POWERTRAIN Fully automatic 4-speed

MAINTENANCE CAPACITIES

FUEL TANK 624 l

DOZERS

D7R

Technical specifications

STANDARD SU

OPERATING WEIGHT 29,776 kg

GROUND PRESSURE 72.1 kPa

STANDARD TRACK WIDTH 610 mm

BLADE Semi-universal (SU)

BLADE CAPACITY 7.4 m³

S LGP

OPERATING WEIGHT 28,677 kg

GROUND PRESSURE 43.4 kPa

STANDARD TRACK WIDTH 915 mm

BLADE Straight (S)

BLADE CAPACITY 6.2 m³

WASTE HANDLER TRACK LOADER

OPERATING WEIGHT 28,140 kg

GROUND PRESSURE 68.3 kPa

STANDARD TRACK WIDTH 610 mm

BLADE Universal Trash (U)

BLADE CAPACITY 16.6 m³

DOZERS

D7R

Technical specifications

DURABILITY

RECYCLABILITY

98%

AIR CONDITIONING SYSTEM

AIR CONDITIONING

The air conditioning system in this machine contains fluorinated gre

NOTE (2)

Some features and configurations may not be available in all regions